This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

RAW SEQUENCE LISTING ERROR REPORT



The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number:	09/177430	
Source:	OIPE	
Date Processed by STIC:	10 09 01	

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,

2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216. PATENTIN 2.1 c-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax) PATENTIN 3.0 c-mail help: patin3help@uspto.gov or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE <u>CHECKER</u> <u>VERSION 3.0 PROGRAM</u>, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW:

Checker Version 3.0

The Checker Version 3.0 application is a state-of the-art Windows based software program employing a logical and intuitive user-interface to check whether a sequence listing is in compliance with format and content rules. Checker Version 3.0 works for sequence listings generated for the original version of 37 CFR §§1.821 – 1.825 effective October 1, 1990 (old rules) and the revised version (new rules) effective July 1, 1998 as well as World Intellectual Property Organization (WIPO) Standard ST.25.

Checker Version 3.0 replaces the previous DOS-based version of Checker, and is Y2K-compliant. Checker allows public users to check sequence listings in Computer Readable form (CRF) before submitting them to the United States Patent and Trademark Office (USPTO). Use of Checker prior to filing the sequence listing is expected to result in fewer errored sequence listings, thus saving time and money.

Checker Version 3.0 can be down loaded from the USPTO website at the following address: http://www.uspto.gov/web/offices/pac/checker

Raw Sequence Listing Error Summary

ERROR DETECTED	SUGGESTED CORRECTION SERIAL NUMBER: 04/17/430
ATTN: NEW RULES CASE	S: PLEASE DISREGARD ENGLISH "ALPHA" HEADERS, WHICH WERE INSERTED BY PTO
Wrapped Nucleics Wrapped Aminos	The number/text at the end of each line "wrapped" down to the next line. This may occur if your file was retrieved in a word processor after creating it. Please adjust your right margin to .3; this will prevent "wrapping."
2Invalid Line Length	The rules require that a line not exceed 72 characters in length. This includes white spaces.
3Misaligned Amino Numbering	The numbering under each 5th amino acid is misaligned. Do not use tab codes between numbers; use apace characters, instead.
4Non-ASCII	The submitted file was not saved in ASCII(DOS) text, as required by the Sequence Rules. Please ensure your subsequent submission is saved in ASCII text.
5Variable Length.	Sequence(s) contain n's or Xaa's representing more than one residue. Per Sequence Rules, each n or Xaa can only represent a single residue. Please present the maximum number of each residue having variable length and indicate in the <220> <223> section that some may be missing.
6Patentin 2.0 "bug"	A "bug" in Patentin version 2.0 has equised the <220><223> section to be missing from amino acid sequences(s)
7Skipped Sequences (OLD RULES)	Sequence(s) missing. If intentional, please insert the following lines for each skipped sequence: (2) INFORMATION FOR SEQ ID NO:X: (insert SEQ ID NO where "X" is shown) (i) SEQUENCE CHARACTERISTICS: (Do not insert any subheadings under this heading) (xi) SEQUENCE DESCRIPTION:SEQ ID NO:X: (insert SEQ ID NO where "X" is shown) This sequence is intentionally skipped
	Please also adjust the "(ii) NUMBER OF SEQUENCES:" response to Include the skipped sequences.
8 Skipped Sequences (NEW RULES)	Sequence(s) missing. If Intentional, please insert the following lines for each skipped sequence <210> sequence id number <400> sequence id number 000
9Use of n's or Xaa's (NEW RULES)	Use of n's and/or Xaa's have been detected in the Sequence Listing. Per 1.823 of Sequence Rules, use of <220>-<223> is MANDATORY if n's or Xaa's are present. In <220> to <223> section, please explain location of n or Xaa; and which residue n or Xaa represents.
10 Invalid <213> Response	Per 1.823 of Sequence Rules, the only valid <213> responses are: Unknown, Artificial Sequence, or scientific name (Genus/species). <220>-<223> section is required when <213> response is Unknown o is Artificial Sequence
11Use of <220>	Sequence(s)missing the <220> "Feature" and associated numeric identifiers and responses. Use of <220> to <223> is MANDATORY if <213> "Organism" response is "Artificial Sequence" or "Unknown." Please explain source of genetic material in <220> to <223> section. (See "Federal Register," 06/01/1998, Vol. 63, No. 104, pp. 29631-32) (Sec. 1.823 of Sequence Rules)
12 Patentin 2.0 "bug"	Please do not use "Copy to Disk" function of Patentin version 2.0. This causes a corrupted file, resulting in missing mandatory numeric identifiers and responses (as indicated on raw sequence listing). Instead, please use "File Manager" or any other manual means to copy file to floppy disk.
13Misuse of n	n can only be used to represent a single nucleotide in a nucleic acid sequence. N is not used to represent any value not specifically a nucleotide.

AMC/MH - Biotechnology Systems Branch - 08/21/2001

OIPE

RAW SEQUENCE LISTING DATE: 10/09/2001 PATENT APPLICATION: US/09/777,430 TIME: 08:29:58

Input Set : A:\4912SEQS.txt

Output Set: N:\CRF3\10092001\I777430.raw

```
3 <110> APPLICANT: Lyamichev, Victor
       5 <120> TITLE OF INVENTION: CHARGE TAGS AND SEPARATION OF NUCLEIC ACID MOLECULES
       7 <130> FILE REFERENCE: FORS 4912
C--> 9 <140> CURRENT APPLICATION NUMBER: US/09/777,430
C--> 9 <141> CURRENT FILING DATE: 2001-02-06
                                                                                 Does Not Comply
      9 <160> NUMBER OF SEQ ID NOS: 85
                                                                            Corrected Diskette Needed
      11 <170> SOFTWARE: PatentIn version 3.0
     13 <210> SEO ID NO: 1
     14 <211> LENGTH: 23
     14 <211> LENGTH: 23
15 <212> TYPE: DNA
Errored:
16 <213> ORGANISM: Synthetic - Synthetic is appropriate!
18 <220> FEATURE:
19 <221> NAME/KEY: misc_feature
20 <222> LOCATION: (1)...(2) in the 223 field. — However: "Synthetic"
20 <222> LOCATION: (1)...(2) in the 223 field. — However: "Synthetic"
     21 <223> OTHER INFORMATION: misc. feature
24 <400> SEQUENCE: 1 & not an appriate response for the
                                           FYI: "Artificial Sequence, "Unknown" and species names are the only appropriate 213 responses 22
w--> 25 tntcttttca ccagcgagac ggg
      28 <210> SEQ ID NO: 2
      29 <211> LENGTH: 22
      30 <212> TYPE: DNA
      31 <213> ORGANISM: (synthetic
      33 <400> SEQUENCE: 2
      34 attgggcgcc agggtggttt tt
      37 <210> SEQ ID NO: 3
                                               See Error Summary Street item 10.
      38 <211> LENGTH: 30
      39 <212> TYPE: DNA
      40 <213> ORGANISM synthetic
      42 <400> SEQUENCE: 3
                                                                                              30
      43 cagggtgaag ggaagaagaa agcgaaaggt
      46 <210> SEQ ID NO: 4
      47 <211> LENGTH: 30
      48 <212> TYPE: DNA
      49 <213> ORGANISM: (synthetic
      51 <400> SEQUENCE: 4
                                                                                              30
      52 cagggggaag ggaagaagaa agcgaaaggt
      55 <210> SEQ ID NO: 5
      56 <211> LENGTH: 28
      57 <212> TYPE: DNA
      58 <213> ORGANISM: synthetic
      60 <400> SEQUENCE: 5
                                                                                              28
      61 cacquattcc gaggcgatgc ttccgctc
      64 <210> SEQ ID NO: 6
      65 <211> LENGTH: 30
      66 <212> TYPE: DNA
      67 <213> ORGANISM: synthetic
      69 <400> SEQUENCE: 6
                                                                                              30
      70 tcqacqtcqa ctaacccttq gcggaaagcc
```

DATE: 10/09/2001

TIME: 08:29:58

Input Set : A:\4912SEQS.txt Output Set: N:\CRF3\10092001\1777430.raw 73 <210> SEQ ID NO: 7 74 <211> LENGTH: 23 75 <212> TYPE: DNA 76 <213> ORGANISM: synthetic 78 <400> SEQUENCE: 7 23 79 gcatcgcctc ggaattcatg gtc 82 <210> SEQ ID NO: 8 83 <211> LENGTH: 0 Does Not Comply 84 <212> TYPE: PRT Corrected Diskette Needed 85 <213> ORGANISM: Thermus thermophilus 87 <400> SEQUENCE: 8 W--> 88 000 90 <210> SEQ ID NO: 9 91 <211> LENGTH: 2511 92 <212> TYPE: DNA 93 <213> ORGANISM: Thermus thermophilus 95 <400> SEQUENCE: 9 60 96 atgaatteeg aggegatget teegetettt gaacceaaag geegggteet eetggtggae 120 98 gqccaccacc tqqcctaccq caccttcttc gccctgaagg qcctcaccac gagccggggc 100 gaaccggtgc aggcggtcta cggcttcgcc aagagcctcc tcaaggccct gaaggaggac 180 102 gggtacaagg cegtettegt ggtetttgae gecaaggeee ceteetteeg eeacgaggee 240 300 104 tacqaqqcct acaaqqcqqq qaqqqccccq acccccgagg acttcccccg gcagctcgcc 106 ctcatcaaqq aqctqqtqqa cctcctqqqq tttacccqcc tcgagqtccc cgqctacgag 360 420 108 geggacgaeg ttetegeeae eetggeeaag aaggeggaaa aggaggggta egaggtgege 480 110 atecteàceg cegacegega cetetaceaa etegteteeg acegegtege egtecteeae 112 cccgagggcc acctcatcac cccggagtgg ctttgggaga agtacggcct caggccggag 540 114 cagtgggtgg actteegege cetegtgggg gaceetteeg acaaceteec eggggteaag 600 116 ggcatcgggg agaagaccgc cctcaagctc ctcaaggagt ggggaagcct ggaaaacctc 660 720 118 ctcaaqaacc tggaccgggt aaagccagaa aacgtccggg agaagatcaa ggcccacctg 120 gaagacctca ggctctcctt ggagctctcc cgggtgcgca ccgacctccc cctggaggtg 780 840 122 gacctcgccc aggggcggga gcccgaccgg gaggggctta gggccttcct ggagaggctg 124 gagtteggea geeteeteea egagttegge eteetggagg eeceegeece eetggaggag 900 126 geocctgge cecegegga aggggeette gtgggetteg teeteteeg eecegagee 960 128 atgtgggcgg agcttaaagc cctggccgcc tgcagggacg gccgggtgca ccgggcagca 1020 130 gacccettgg cggggctaaa ggacctcaag gaggtccggg gcctcctcgc caaggacctc 1080 1140 132 qccqtcttqq cctcqagqga qqggctagac ctcqtgcccg gqqacqaccc catgctcctc 1200 134 qcctacctcc tqqacccctc caacaccacc cccqaqqqqq tqqcqcqqcq ctacgqgggg 1260 136 gagtggacgg aggacgccgc ccaccgggcc ctcctctcgg agaggctcca tcggaacctc 1320 138 cttaagcgcc tcgaggggga ggagaagctc ctttggctct accacgaggt ggaaaagccc 140 eteteeeggg teetggeeea catggaggee aceggggtae ggegggaegt ggeetaeett 1380 142 caggcccttt ccctggagct tgcggaggag atccgccgcc tcgaggagga ggtcttccgc 1440 144 ttggcgggcc acccettcaa ceteaactee egggaceage tggaaagggt getetttgae 1500 146 gagettagge ttcccgcett ggggaagaeg caaaagacag gcaagegete caccagegee 1560 148 geggtqctqq aggecctaeg ggaggcccae eccategtgg agaagateet ecageaeegg 1620 150 gageteacca ageteaagaa cacetacgtg gaceceetee caageetegt ecacecgagg 1680 152 acgggccgcc tccacacccg cttcaaccag acggccacgg ccacggggag gcttagtagc 1740 154 tecgacecea acetgeagaa cateceegte egeaceceet tgggeeagag gateegeegg 1800 156 gccttcgtgg ccgaggcggg ttgggcgttg gtggccctgg actatagcca gatagagctc 1860

158 egegteeteg cecacetete eggggaegaa aacetgatea gggtetteea ggaggggaag

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/777,430

1920

DATE: 10/09/2001 RAW SEQUENCE LISTING TIME: 08:29:58 PATENT APPLICATION: US/09/777,430

Input Set : A:\4912SEQS.txt
Output Set: N:\CRF3\10092001\1777430.raw

	160	gacatccaca cccagaccgc aagctggatg	ttcggcgtcc d	cccggaggc	cgtggacccc	1980
	162	ctgatgcgcc gggcggccaa gacggtgaac	tteggegtee t	tctacggcat	gtccgcccat	2040
	164	aggetetece aggagettge catecectae	gaggaggcgg t	tggcctttat	agagcgctac	2100
	166	ttccaaagct tccccaaggt gcgggcctgg	atagaaaaga d	ccctggagga	ggggaggaag	2160
	168	cggggctacg tggaaaccct cttcggaaga	aggcgctacg t	tgcccgacct	caacgcccgg	2220
		qtqaagageg teagggagge egeggagege				2280
		geogeogaee teatgaaget egecatggtg				2340
	174	gcccgcatgc tcctccaggt ccacgacgag	ctcctcctgg a	aggcccccca	agegegggee	2400
	176	gaggaggtgg cggctttggc caaggaggcc	atggagaagg (cctatcccct	cgccgtgccc	2460
	178	ctggaggtgg aggtggggat gggggaggac	tggctttccg (ccaagggtta	g	2511
		<210> SEQ ID NO: 10	-			
		<211> LENGTH: 26				
		<212> TYPE: DNA				
		<213> ORGANISM: synthetic	•			
		<400> SEQUENCE: 10				
		caggaggagc tcgttgtgga cctgga				26
		<210> SEQ ID NO: 11				
		<211> LENGTH: 0				
		<212> TYPE: PRT				
		<213> ORGANISM: Thermus thermophi	lus			
		<400> SEQUENCE: 11	140			
	196					
- /		<210> SEQ ID NO: 12				
		<211> LENGTH: 2511				
		<211> DENGIR. 2311 <212> TYPE: DNA				
	-	<pre><212> TIPE: DNA <213> ORGANISM: Thermus thermophi</pre>	lue .		•	
		<400> SEQUENCE: 12	143			
		atgaatteeg aggegatget teegetettt	паасссааал (accadat cct	cctaataaac	60
	204	ggccaccacc tggcctaccg caccttcttc	accetaaaa (geetgageac	gaggggggg	120
	200	gaaccggtgc aggcggtcta cggcttcgcc	aadadcctcc t	tcaaggccct	gagooggggc	180
	200	gggtacaagg ccgtcttcgt ggtctttgac	aagageeeee (cctccttcca	ccacgaggcc	240
	210	tacgaggcet acaaggcggg gagggccccg	acccccaaaa a	acttccccc	acaactcacc	300
	214	ctcatcaagg agctggtgga cctcctgggg	tttaggggg t	tegaggteee	caactacaaa	360
	214	geggaegaeg ttetegeeae eetggeeaag	aaggcggaaa a	aggaggaata	caagatacac	420
	210	atectcaceg ecgacegega cetetaceaa	atagtataca a	aggaggggca	catactacaa	480
	210	cocgaggge accteateae cocggagtgg	ctttaggaga a	actacaact	cadaccadaa	540
	220	cagtgggtgg acttccgcgc cctcgtgggg	ascecteea a	agtacggccc	caagactgaag	600
	224	ggcatcgggg agaagaccgc cctcaagctc	stangaget (gaggaageet	ggaaaacctc	660
	224	ctcaagaacc tggaccgggt aaagccagaa	aacatccaaa	agaggaagcec	ggaaaaccta	720
	220	garage and a gratate att garage at a	addytecygy a	cogacetece	cetagaaata	780
	220	gaagacctca ggctctcctt ggagctctcc	cygytycyca (gagaattaat	ggagggtg	840
	230	gacetegece aggggeggga gecegacegg	gaggggccca g	gggccccccc	ggagaggeeg	900
	232	gagtteggea geeteeteea egagttegge	etectiggagg (teeteteee	cccggaggag	960
		gcccctggc ccccgccgga aggggccttc				1020
		atgtgggcgg agcttaaagc cctggccgcc				1020
		gaccccttgg cggggctaaa ggacctcaag				1140
		gccgtcttgg cctcgaggga ggggctagac				1200
	242	gcctacctcc tggacccctc caacaccacc	cccgaggggg T	Lygogogogo	taggagaga	1260
	244	gagtggacgg aggacgccgc ccaccgggcc	clecteregg a	ayayyeteea	coygaaccic	1320
	246	cttaagcgcc tcgaggggga ggagaagctc	ctttggctct a	accacgaggt	yyaaaagccc	1320

W--

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/777,430

DATE: 10/09/2001 TIME: 08:29:58

Input Set : A:\4912SEQS.txt

Output Set: N:\CRF3\10092001\1777430.raw

			_			7 7 0 0	
248,	ctctcccggg tcctggccca	catggaggcc	accggggtac	ggcgggacgt	ggcctacctt	1380	
250	caggcccttt ccctggagct	tgcggaggag	atccgccgcc	tcgaggagga	ggtcttccgc	1440	
252	ttggcgggcc accccttcaa	cctcaactcc	cgggaccagc	tggaaagggt	gctctttgac	1500	
	gagettagge ttecegeett					1560	
	geggtgetgg aggeectacg					1620	
	gageteacea ageteaagaa					1680	
	acgggccgcc tccacacccg					1740	
						1800	
	tecgacecca acetgeagaa					1860	
	gccttcgtgg ccgaggcggg						
	egegteeteg eccaeetete					1920	
	gacatccaca cccagaccgc					1980	
	ctgatgcgcc gggcggccaa					2040	
272	aggetetece aggagettge	catcccctac	gaggaggcgg	tggcctttat	agagcgctac	2100	
274	ttccaaagct tccccaaggt	gcgggcctgg	atagaaaaga	ccctggagga	ggggaggaag	2160	
	cggggctacg tggaaaccct					2220	
	gtgaagagcg tcagggaggc					2280	
	gccgccgacc tcatgaagct					2340	
	gcccgcatgc tcctccaggt					2400	
	gaggaggtgg cggctttggc					2460	
						2511	
	ctggaggtgg aggtggggat	gggggaggac	tggettteeg	ccaayygtta	y	4311	
	<210> SEQ ID NO: 13						
	<211> LENGTH: 58				·		
	<212> TYPE: DNA						
292	<213> ORGANISM: synthe	etic					
294	<400> SEQUENCE: 13						
295	tgcctgcagg tcgacgctag	ctagtggtgg	tggtggtggt	gacccttggc	ggaaagcc	58	
	<210> SEQ ID NO: 14						
	9 <211> LENGTH: 2526						
	9 <211> LENGIH: 2520 0 <212> TYPE: DNA						
	0 <212> TIPE: DNA 1 <213> ORGANISM: Thermus thermophilus						
	<400> SEQUENCE: 14	io cironinopii.					
	atgaattccg aggcgatgct	tecaetettt	паасссавал	accagatect	cctggtggac	60	
	ggccaccacc tggcctaccg	-				120	
						180	
	gaaccggtgc aggcggtcta					240	
	gggtacaagg ccgtcttcgt						
	tacgaggcct acaaggcggg					300	
	ctcatcaagg agctggtgga					360	
	gcggacgacg ttctcgccac					420	
318	atcctcaccg ccgaccgcga	cctctaccaa	ctcgtctccg	accgcgtcgc	cgtcctccac	480	
320	cccgagggcc acctcatcac	cccggagtgg	ctttgggaga	agtacggcct	caggccggag	540	
	cagtgggtgg acttccgcgc					600	
	ggcatcgggg agaagaccgc					660	
	ctcaagaacc tggaccgggt					720	
	gaagacctca ggctctcctt					780	
	gacctcgccc aggggcggga					840	
						900	
	gagtteggea geeteeteea					960	
	gcccctggc cccgccgga					1020	
336	atgtgggcgg agcttaaagc	cerggeegee	Lgcayygacg	geegggtgea	ccgggcagca	1020	
.) ") D	asoconttan caraactsss	ggacctcaag	TATTTCCTTT.	acct cct cac	CAACCACCTC	1080	
330	gaccccttgg cggggctaaa	ggacoccaag	guggeooggg	gooccoccogc	caaggacccc	1000	

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/777,430

DATE: 10/09/2001 TIME: 08:29:58

Input Set : A:\4912SEQS.txt

Output Set: N:\CRF3\10092001\1777430.raw

	340	gccgtcttgg	cctcgaggga	ggggctagac	ctcgtgcccg	gggacgaccc	catgctcctc	1140
		gcctacctcc						1200
	344	gagtggacgg	aggacgccgc	ccaccgggcc	ctcctctcgg	agaggeteca	tcggaacctc	1260
	346	cttaagcgcc	tcgaggggga	ggagaagctc	ctttggctct	accacgaggt	ggaaaagccc	1320
	348	ctctcccggg	tectggeeca	catggaggcc	accggggtac	ggcgggacgt	ggcctacctt	1380
	350	caggcccttt	ccctggagct	tgcggaggag	atccgccgcc	tcgaggagga	ggtcttccgc	1440
		ttggcgggcc						1500
		gagettagge						1560
		gcggtgctgg						1620
		gagctcacca						1680
	360	acgggccgcc	tccacacccg	cttcaaccag	acggccacgg	ccacggggag	gcttagtagc	1740
		tecgacecca						1800
	364	gccttcgtgg	ccgaggcggg	ttgggcgttg	gtggccctgg	actatagcca	gatagagctc	1860
		cgcgtcctcg						1920
	368	gacatccaca	cccagaccgc	aagctggatg	ttcggcgtcc	ccccggaggc	cgtggacccc	1980
	370	ctgatgcgcc	gggcggccaa	gacggtgaac	ttcggcgtcc	tctacggcat	gtccgcccat	2040
	372	aggetetece	aggagcttgc	catcccctac	gaggaggcgg	tggcctttat	agagcgctac	2100
	374	ttccaaagct	tccccaaggt	gcgggcctgg	atagaaaaga	ccctggagga	ggggaggaag	2160
		cggggctacg						2220
	378	gtgaagagcg	tcagggaggc	cgcggagcgc	atggccttca	acatgcccgt	ccagggcacc	2280
	380	gccgccgacc	tcatgaagct	cgccatggtg	aagctcttcc	cccgcctccg	ggagatgggg	2340
	382	gcccgcatgc	tcctccaggt	ccacaacgag	ctcctcctgg	aggcccccca	agcgcgggcc	2400
	384	gaggaggtgg	cggctttggc	caaggaggcc	atggagaagg	cctatcccct	cgccgtgccc	2460
	386	ctggaggtgg .	aggtggggat	gggggaggac	tggctttccg	ccaagggtca	ccaccaccac	2520
	388	caccac						2526
	391	<210> SEQ I	D NO: 15				•	
	392	<211> LENGT	н: 0		-			
	393	<212> TYPE:	PRT					
	394	<213> ORGAN	ISM: Thermu	is thermophi	ilus			
	396	<400> SEQUE	NCE: 15			*		
•	397	000						
	399	<210> SEQ I	D NO: 16					
	400	<211> LENGT	H: 31					
		<212> TYPE:						
		<213> ORGAN		etic				
		<400> SEQUE						
		gcctgcaggg		gcaccggggc	a			31
		<210> SEQ I						
		<211> LENGT						
		<212> TYPE:						
		<213> ORGAN	_	etic				
		3 <400> SEQUENCE: 17						
		4 ctcctggacc cttcgaacac cacccc					26	
		7 <210> SEQ ID NO: 18						
		8 <211> LENGTH: 23						
		9 <212> TYPE: DNA						
		<213> ORGAN		etic				
		<400> SEQUE						2.2
	423	gtcctggccc a	atatggaggc	cac				23

Use of n and / or Xaa has been detected in the Sequence Listing. Review the Sequence Listing to ensure a corresponding explanation is present in the <220> to <223> fields of each sequence using n or Xaa.

W-->

VERIFICATION SUMMARYDATE: 10/09/2001PATENT APPLICATION: US/09/777,430TIME: 08:29:59

Input Set : A:\4912SEQS.txt

Output Set: N:\CRF3\10092001\I777430.raw

```
L:9 M:270 C: Current Application Number differs, Replaced Current Application No
L:9 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:25 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1
L:88 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (8) SEQUENCE:
L:196\ M:300\ W: (50) Intentionally skipped Sequence, : Sequence Id (11) SEQUENCE:
L:397 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (15) SEQUENCE:
L:525 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (20) SEQUENCE:
L:635 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (23) SEQUENCE:
L:745 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (26) SEQUENCE:
L:753 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (27) SEQUENCE:
L:761 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (28) SEQUENCE: L:769 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (29) SEQUENCE:
L:777 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (30) SEQUENCE:
L:797 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:31
L:818 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:32
L:848 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:34
L:872 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:36
L:893 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:37
L:1024 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (48) SEQUENCE:
L\!:\!1059 M\!:\!341 W: (46) "n" or "Xaa" used, for SEQ ID#:50
L:1086 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:51
L:1101 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:52
L:1116 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:53
L:1149 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:56
L:1211 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:62
L:1226 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:63
L\!:\!1241~M\!:\!341~W\!: (46) "n" or "Xaa" used, for SEQ ID#:64
L:1256 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:65
L:1406 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:77
L:1457 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:82
```